



# COMPLETE

TEXTURED

50 LBS  
(22.7 KG)



## IDEAL FOR:

Mature horses, performance horses, underweight horses



## FEATURES:

High fat & fiber, high calorie



## HELPS SUPPORT:

Hay shortages, poor hay quality, respiratory issues, healthy inflammatory response, fat absorption, weight gain

Triple Crown Complete is a beet pulp-based, high fat, high calorie diet ideal for performance horses, mature horses and harder keepers. Featuring high fiber and lower starch and sugar, it can be used when access to hay and pasture is limited or of poor quality.

12% PROTEIN • 12% FAT • 15% FIBER • 1,700 KCAL/LB

## GUARANTEED ANALYSIS

Crude Protein (min.)	12.00%
Lysine (min.)	0.65%
Methionine (min.)	0.20%
Threonine (min.)	0.44%
Tryptophan (min.)	0.15%
Leucine (min.)	0.65%
Crude Fat (min.)	12.00%
Crude Fiber (max.)	15.00%
ADF (max.)	16.00%
NDF (max.)	30.00%
Calcium (min.)	0.75%
Calcium (max.)	1.25%
Phosphorus (min.)	0.55%
Magnesium (min.)	0.30%
Potassium (min.)	1.00%
Sodium (min.)	0.30%
Sodium (max.)	0.60%
Salt (min.)	0.20%
Salt (max.)	0.50%
Omega-3 Fatty Acids (min.)	0.70%
Omega-6 Fatty Acids (min.)	5.00%
Selenium (min.)	0.30 ppm
Zinc (min.)	250 ppm
Manganese (min.)	125 ppm
Copper (min.)	50 ppm
Iron (min.)	125 ppm
Vitamin A (min.)	5,000 IU/lb.
Vitamin D (min.)	1,000 IU/lb.
Vitamin E (min.)	200 IU/lb.
Riboflavin-B2 (min.)	1.90 mg/lb.
Thiamine-B1 (min.)	5.20 mg/lb.
Ascorbic Acid (min.)	30 mg/lb.
Biotin (min.)	0.20 mg/lb.
Total Direct Fed Microbials (min.)	2.71 billion CFU/lb.
Lactobacillus acidophilus Fermentation Product (min.)	641 million CFU/lb.
Enterococcus faecium Fermentation Product (min.)	641 million CFU/lb.
Bacillus subtilis Dried Fermentation Product (min.)	114.00 million CFU/lb.
Saccharomyces cerevisiae (min.)	1.31 billion CFU/lb.
Cellulase <sup>1</sup> (Trichoderma longibrachiatum) (min.)	2,383 CU/lb.
Protease <sup>2</sup> (Bacillus licheniformis) (min.)	0.49 HUT/lb.

1. One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C.

2. One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY.



## NOW WITH

- EnduraCare® for healthy inflammatory response
- More probiotics via CLOSTAT® to support a healthy microbiome
- LYSOFORTE® for improved fat absorption and feed efficiency
- Zinpro® Performance Minerals® with higher bioavailability
- No added iron

## INGREDIENTS

Dried Plain Beet Pulp Shreds, Whole Oats, Cane Molasses, Soybean Meal, Soybean Oil, Dehydrated Alfalfa Meal, Soybean Hulls, Wheat Middlings, Maize Distillers Dried Grains with Solubles, Monocalcium Phosphate, Calcium Carbonate, Flaxseed, Heat Stabilized Rice Bran, Sodium Bicarbonate, Magnesium Oxide, Lignin Sulfonate, Salt, Vitamin E Supplement, N-Butyric Acid, Zinc Oxide, Peppermint Oil, Manganese Amino Acid Complex, L-Lysine, Hydrated Sodium Calcium Aluminosilicate, Zinc Amino Acid Complex, Yeast Culture, Processed Grain By-Products, Selenium Yeast, Lecithin, Spray Dried Egg Product, DL-Methionine, Copper Amino Acid Complex, Dried Kelp, Yeast Extract, Active Dry Yeast, Ascorbic Acid, Vitamin B12 Supplement, Fenugreek, Natural and Artificial Flavors, Magnesium Proteinates, Niacin Supplement, Copper Sulfate, Biotin, Dried Bacillus subtilis Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, L-Leucine, Thiamine Mononitrate, Vitamin A Supplement, β-Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Dried Trichoderma longibrachiatum Fermentation Product, Folic Acid, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Zinc Sulfate, Ethylenediamine Dihydroiodide, Dried Bacillus licheniformis Fermentation Extract.

Contains a source of live (viable), naturally occurring microorganisms.

## FEEDING DIRECTIONS

Feeding recommendations are based on average daily requirements. Horse's needs may vary based on age, work level, metabolism, weather and other factors.

Adjust the amount of Triple Crown Complete up or down as needed to maintain desired body condition. If feeding less than the amount recommended per day, supplement with Triple Crown Balancer, Balancer Gold or Diamond Balancer.

Do not feed more than 0.50% of the horse's body weight of Triple Crown Complete in a single meal, and if feeding that amounts, allow 3 to 4 hours between meals.

Adding water to Triple Crown Complete will make an EZ Mash for horses with poor teeth, respiratory problems, or for horses prone to choking. Add 1 cup of water per 2 to 3 lb. of Complete 10 to 15 minutes prior to feeding. The amount of water added can be adjusted to meet the desires of the individual horse.

**NOTE:** Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

**CAUTION:** Follow label directions. Product contains Copper; do not feed to sheep.

For horses eating hay or other forage.		
Horse Weight (lb.)	Complete (lb./day)	Minimum Forage (lb./day)
600	3-5	9-12
900	4-9	13.5-18
1,100	5-11	16.5-22
1,300	6-13	19.5-26
For horses NOT eating hay or other forage.		
Horse Weight (lb.)	Complete (lb./day)	
600	7.5-9.5	
900	10.5-14.5	
1,100	13.5-17.5	
1,300	16.5-20.5	