



# COMPLETE

TEXTURED

50 LBS  
(22.7 KG)



**IDEAL FOR:**  
Mature horses, performance horses, underweight horses



**FEATURES:**  
High fat & fiber, high calorie



**HELPS SUPPORT:**  
Hay shortages, poor hay quality, respiratory issues, coat & hoof health

Triple Crown Complete is a beet pulp-based, high fat, high calorie diet ideal for performance horses, mature horses and harder keepers. Featuring high fiber and lower starch and sugar, it can be used when access to hay and pasture is limited or of poor quality.

**PROTEIN 12% • FAT 12% • FIBER 15% • 1,700 KCAL/LB**

## GUARANTEED ANALYSIS

Crude Protein (min.)	12.00%
Lysine (min.)	0.65%
Methionine (min.)	0.20%
Threonine (min.)	0.52%
Tryptophan (min.)	0.15%
Leucine (min.)	0.80%
Crude Fat (min.)	12.00%
Crude Fiber (max.)	15.00%
ADF (max.)	16.00%
NDF (max.)	30.00%
Calcium (min.)	0.75%
Calcium (max.)	1.25%
Phosphorus (min.)	0.55%
Magnesium (min.)	0.30%
Potassium (min.)	1.00%
Sodium (min.)	0.30%
Sodium (max.)	0.60%
Salt (min.)	0.20%
Salt (max.)	0.50%
Omega-3 Fatty Acids (min.)	0.70%
Omega-6 Fatty Acids (min.)	5.00%
Selenium (min.)	0.40 ppm
Selenium (max.)	0.75 ppm
Zinc (min.)	170 ppm
Manganese (min.)	85 ppm
Cobalt (min.)	0.25 ppm
Copper (min.)	35 ppm
Iron (min.)	170 ppm
Vitamin A (min.)	4,000 IU/lb.
Vitamin D (min.)	750 IU/lb.
Vitamin E (min.)	115 IU/lb.
Riboflavin-B2 (min.)	1.90 mg/lb.
Thiamine-B1 (min.)	5.20 mg/lb.
Ascorbic Acid (min.)	30 mg/lb.
Biotin (min.)	0.20 mg/lb.
Total Direct Fed Microbials (min.)	2.53 billion CFU/lb.
Lactobacillus Acidophilus Fermentation Product (min.)	636 million CFU/lb.
Enterococcus Faecium Fermentation Product (min.)	636 million CFU/lb.
Bacillus Subtilis Dried Fermentation Product (min.)	16.25 million CFU/lb.
Saccharomyces Cerevisiae Yeast Culture (min.)	1.25 billion CFU/lb.
Cellulase <sup>1</sup> (Trichoderma Longibrachiatum Fermentation Extract) (min.)	0.47 million CFU/lb.
Protease <sup>2</sup> (Bacillus Subtilis Fermentation Extract) (min.)	1,000 HUT/lb.

## INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Dehydrated Alfalfa Meal, Cane Molasses, Shredded Beet Pulp, Whole Oats, Soybean Hulls, Wheat Middlings, Dehulled Soybean Meal, Soybean Oil, Distillers Dried Grains, Ground Flaxseed, Stabilized Rice Bran, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Yeast Extract, Yeast Culture, Hydrolyzed Yeast, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Dried Trichoderma Longibrachiatum Fermentation Extract, Dried Bacillus Subtilis Fermentation Extract, Zinc Hydroxy Chloride, Manganese Hydroxy Chloride, Copper Hydroxy Chloride, Vegetable Oil, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Kelp Meal, Lecithin, Magnesium Proteinates, Selenium Yeast, L-Lysine, DL-methionine, L-Threonine, L-Leucine, Salt, Sodium Bicarbonate, Fenugreek Seed, Anise, Ascorbic Acid (Source of Vitamin C), Niacin Supplement, Biotin, Vitamin A Supplement, Vitamin E Supplement, Thiamine Mononitrate, Beta Carotene, Calcium Pantothenate, Riboflavin Supplement, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Vitamin D3 Supplement, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Folic Acid, Hydrated Sodium Calcium Aluminosilicate, Brewers Dried Yeast, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Cobalt Proteinates, Iron Amino Acid Complex, Ethylenediamine Dihydroiodide, (Propionic Acid, Sodium Benzoate, Potassium Sorbate (Preservatives)).

## FEEDING DIRECTIONS

### IF YOUR HORSE CAN EAT HAY

1,000 – 1,100 lb. horse 6 lb. per day

### IF YOUR HORSE CANNOT EAT HAY

1,000 – 1,100 lb. horse 12 lb. per day

Water should be added the rate of approximately 1 cup of water per 2 – 3 lb. of Triple Crown Complete 10 to 15 minutes prior to feeding. The amount of water added can be adjusted to meet the desires of the individual horse or pony.

## OTHER CONSIDERATIONS

If feeding less than 5 lb. per day (per 1,000 lb of body weight) in combination with hay, supplement with 1 lb. per day of Triple Crown Balancer or Triple Crown Balancer Gold in order to meet recommended levels of vitamins, minerals and digestive support.

If your horse cannot eat hay, be sure to feed 1 to 2% of body weight daily.

Adjust the amount of Triple Crown Complete up or down as needed after 2 to 4 weeks to maintain desired body condition. Do not feed more than 5 lb. at a single meal. Allow 3 to 4 hours between meals.

Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

1. One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C.

2. One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY.