





### **IDEAL FOR:** Weanlings, yearlings, broodmares, breeding stallions





High fat & fiber, extended amino acid profile



#### **HELPS SUPPORT:**

Consistent growth, hay shortages, healthy inflammatory response, fat absorption, weight gain

## **NOW WITH**

- EnduraCare™ for healthy inflammatory response
- LYSOFORTE® for improved fat absorption and feed efficiency
- No added iron
- Zinpro® Performance Minerals® with higher bioavailability

Triple Crown Growth is fortified to provide young horses, broodmares and breeding stallions more calories through high quality fiber sources, like beet pulp, along with high fat to reduce the need for elevated levels of carbohydrates. This provides a more consistent rate of growth to help alleviate joint problems in growing horses.

PROTEIN 15% • FAT 10% • FIBER 15% • 1.620 KCAL/LB

GUARANTEED ANALYSIS	
Crude Protein (min.)	15.00%
Lysine (min.)	0.90%
Methionine (min.)	0.27%
Threonine (min.)	0.69%
Tryptophan (min.)	0.21%
Leucine (min.)	1.10%
Crude Fat (min.)	10.00%
Crude Fiber (max.)	15.00%
ADF (max.)	17.00%
NDF (max.)	29.00%
Calcium (min.)	1.10%
Calcium (max.)	1.60%
Phosphorus (min.)	0.65%
Magnesium (min.)	0.50%
Potassium (min.)	1.10%
Sodium (min.)	0.40%
Sodium (max.)	0.75%
Salt (min.)	0.30%
Salt (max.)	0.70%
Omega-3 Fatty Acids (min.)	0.60%
Omega-6 Fatty Acids (min.)	3.50%
Selenium (added) (min.)	0.50 ppm
Zinc (min.)	250 ppm
Manganese (min.)	150 ppm
Copper (min.)	70 ppm
Iron (min.)	175 ppm
Vitamin A (min.)	8,000 IU/lb.
Vitamin D min.)	1,500 IU/lb.
Vitamin E (min.)	245 IU/lb.
Riboflavin-B2 (min.)	4.00 mg/lb.
Thiamin-B1 (min.)	10.50 mg/lb.
Ascorbic Acid (min.)	65 mg/lb.
Biotin (min.)	0.35 mg/lb.
Total Direct Fed Microbials (min.)	3.93 billion CFU/lb.
Lactobacillus acidophilus Fermentation Product (min.)	930 million CFU/lb.
Enterococcus faecium Fermentation Product (min.)	930 million CFU/lb.
Bacillus subtilis Dried Fermentation Product (min.)	168 million CFU/lb.
Saccharomyces cerevisiae (min.)	1.90 billion CFU/lb
Cellulase <sup>1</sup> (Trichoderma longibrachiatum) (min.)	3,458 CU/lb.
Protease <sup>2</sup> (Bacillus licheniformis) (min.)	0.72 HUT/lb.

<sup>1.</sup> One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulos substrate at pH 4.5 and 40°C.

# **INGREDIENTS**

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Soybean Meal, Whole Oats, Cane Molasses, Dehydrated Alfalfa Meal, Shredded Beet Pulp, Ground Soybean Hulls (9.3%), Wheat Middlings, Soybean Oil, Maize Distillers Dried Grains with Solubles, Monocalcium Phosphate, Calcium Carbonate, Ground Flaxseed, Heat Stabilized Rice Bran. Sodium Bicarbonate, Magnesium Oxide, Salt, Lignosulfonate, Soybean Oil, Manganese Amino Acid Complex, Butvric Acid, Zinc Oxide, Peppermint Essential Oil, L-Lysine, Zinc Amino Acid Complex, Hydrated Sodium Calcium Aluminosilicate, Vitamin E Supplement, Saccharomyces cerevisiae Yeast Grown On A Media Of Sucrose and Cane Molasses, Processed Grain By-Products, Selenium Yeast, DL-Methionine, Copper Amino Acid Complex, Lecithin, Spray Dried Egg Product, Dried Kelp, Yeast Extract, Active Dry Yeast, L-Threonine, Ascorbic Acid (Source of Vitamin C), Vitamin B12 Supplement, Ground Fenugreek, Natural and Artificial Flavors, L-Leucine, Magnesium Proteinate, Niacin Supplement, Copper Sulfate, Biotin, Maltodextrins, Dried Bacillus subtilis Fermentation Product, Dried Enterococcus faecium Fermentation Product Dried Lactobacillus acidophilus Fermentation Product, Thiamine Mononitrate, Vitamin A Supplement, Beta-Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Dried Trichoderma longibrachiatum Fermentation Product, Folic Acid, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Zinc Sulfate, Ethylenediamine Dihydroiodide, Dried Bacillus licheniformis Fermentation Extract.

Contains a source of live (viable), naturally occurring microorganisms.

FEEDING D	RECTIONS
NUIDSING EOALS	

Up to 400 lb. Up to 4 lb. per day

WEANLINGS 500 - 600 lb 5 - 6 lb. per day

**YEARLING** 

6 - 8 lb. per day

### OTHER CONSIDERATIONS

Divide daily amount into multiple feedings, and adjust up or down to maintain a moderate body condition. If feeding less than 5 lb. of Growth on a daily basis supplement with 0.5 to 1 lb. per day of Triple Crown Balancer or Triple Crown Balancer Gold to ensure adequate vitamin and mineral intake to support sound growth.

Triple Crown Growth should be fed to growing horses along with free access to good quality pasture and/or hay, fresh, clean water and plenty of free exercise.

NOTE: Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with

CAUTION: Follow feeding guidelines. Feeding added Selenium at levels in excess of 0.30 ppm in the total diet is prohibited. Product contains added Copper; do not feed to sheep.

<sup>2.</sup> One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid.

Estimated values determined by Equi-Analytical, Ithaca, NY.