





## **IDEAL FOR:**

Overweight horses, ponies, miniature horses





# **FEATURES:**

Whole grain, soy & molasses free, whey protein/amino acid balance, gastric



#### **HELPS SUPPORT:**

Balancing hay & pasture, feeding grains below recommended feeding rate, strong top line, managing inflammation and heat stress

Triple Crown Balancer Gold is a highly fortified vitamin/mineral supplement with no soy and no molasses for horses of any age. Ideal for easy keepers, Balancer Gold can be used to balance pasture and/or hay, improve nutrition in diets when feeding below the recommended feeding rate or when mixing with whole grains (corn, oats, barley).

PROTEIN 13.5% • FAT 4.5% • FIBER 15% • 1,300 KCAL/LB

· ·	3.50%
Lysine (min.)	0.90%
Methionine (min.)	0.29%
Threonine (min.)	0.60%
Tryptophan (min.)	0.25%
Leucine (min.)	1.00%
Crude Fat (min.)	4.50%
Crude Fiber (max.)	5.00%
ADF (max.)	0.00%
NDF (max.)	2.00%
Calcium (min./max.) 3.00/3	3.50%
Phosphorus (min.)	1.50%
Magnesium (min.)	2.50%
Potassium (min.)	1.50%
Sodium (min./max.) 0.65/	1.00%
Chloride (min.)	0.65%
Salt (min./max.) 0.25/	1.00%
Omega-3 Fatty Acids (min.)	1.20%
Omega-6 Fatty Acids (min.)	1.00%
Selenium (min./max.) 3.50/4.50	0 ppm
Zinc (min.) 1,000	0 ppm
Manganese (min.) 575	5 ppm
Cobalt (min.) 2.10	0 ppm
Copper (min.) 300	0 ppm
Iron (min.) 500	0 ppm
Chromium (max.) 8.80	0 ppm
Vitamin A (min.) 36,000	IU/lb.
Vitamin D min.) 6,000	IU/lb.
Vitamin E (min.) 1,000	IU/lb.
Riboflavin-B2 (min.) 15.00 n	ng/lb.
Thiamine-B1 (min.) 42.00 r	ng/lb.
Ascorbic Acid (min.) 275 n	ng/lb.
Biotin (min.) 1.40 n	ng/lb.
Total Direct Fed Microbials (min.) 17.97 billion Cl	FU/lb.
Lactobacillus Acidophilus Fermentation Product (min.) 4.54 billion Cl	FU/lb.
Enterococcus Faecium Fermentation Product (min.) 4.54 billion Cl	FU/lb.
Bacillus Subtilis Dried Fermentation Product (min.) 169 million Cl	FU/lb.
Saccharomyces Cerevisiae (min.) 8.69 billion Cl	FU/lb.
Cellulase¹ (Trichoderma Longibrachiatum) (min.) 850 0	CU/lb.
Protease <sup>2</sup> (Bacillus Licheniformis) (min.) 3.08 H	UT/lb.

# **INGREDIENTS**

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Alfalfa Meal, Wheat Middlings, Dried Whey, Monocalcium Phosphate, Ground Flaxseed, Calcium Carbonate, Magnesium Oxide, Lignosulfonate, Sodium Bicarbonate, Calcite, Selenium Yeast, Salt, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Saccharomyces Cerevisiae Yeast Extract, Saccharomyces Cerevisiae Active Dry Yeast, Hydrated Sodium Calcium Aluminosilicate, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Trichoderma Longibrachiatum Fermentation Product, Dried Bacillus Licheniformis Fermentation Extract, Saccharomyces Cerevisiae Yeast Culture, Vitamin E Supplement, Lysine Chromium Propionate, Dried Kelp, Zinc Sulfate, Manganese Sulfate, Leucine, L-Threonine, Zinc Hydroxychloride, Ascorbic Acid, Manganese Hydroxychloride, Vitamin B12 Supplement, L-Tryptophan, DL-Methionine, Lecithin, Natural & Artificial Flavors, Fenugreek Seed, Magnesium Proteinate, Niacin Supplement, Copper Hydroxychloride, Copper Sulfate, Biotin, Leucine, Thiamine Mononitrate, Vitamin A Supplement, Beta-Carotene, Dried Bacillus Subtilis Fermentation Product, Cobalt Proteinate, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Cobalt Sulfate, Vitamin D3 Supplement, Choline Chloride, Folic Acid, Menadione Sodium Bisulfite Complex, Ethylenediamine Dihydriodide.

# **FEEDING DIRECTIONS**

TO BALANCE PASTURE AND/OR HAY <sup>3</sup>	
Ponies: 500 - 700 lb.	0.5 - 0.75 lb. per day
Weanlings: 400 - 600 lb.	0.5 - 0.75 lb. per day
Yearlings: 700 - 800 lb.	1 lb. per day
Horses: 800 - 1,100 lb.	1 - 1.5 lb. per day
Broodmares and Breeding Stallions	1.5 - 2 lb. per day
Horses in moderate-to-high levels of activity	1.5 - 2 lb. per day

TO BALANCE DIETS WHEN FEEDING BELOW RECOMMENDED FEEDING RATE	
Ponies: 500 - 700 lb.	0.25 - 0.5 lb. per day
Weanlings: 400 - 600 lb.	0.5 - 0.75 lb. per day
Yearlings: 700 - 800 lb.	1 lb. per day
Horses: 800 - 1,100 lb.	0.5 - 1 lb. per day
Broodmares and Breeding Stallions	1 lb. per day
Horses in moderate-to-high levels of activity	1 lb. per day

TO BALANCE GRAINS <sup>4</sup>	
Ponies: 500 - 700 lb.	0.5 - 0.75 lb. per day
Horses: 800 - 1,100 lb.	1 - 1.5 lb. per day
Broodmares and Breeding Stallions	1.5 - 2 lb. per day
Horses in moderate-to-high levels of activity	1.5 - 2 lb. per day

## OTHER CONSIDERATIONS

The above feeding recommendations assume a horse is consuming a minimum of 1.5 to 2% of its body weight in hay or pasture.

Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

<sup>1.</sup> One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C.

2. One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the

same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY

<sup>3.</sup> Assuming a horse is consuming a minimum of 1.5 to 2% of its body weight in hay or pasture.
4. The feeding recommendations provide for appropriate vitamin/mineral fortification according to body weight. For desired body condition, adjust grain inclusion (oats, corn, barley) to provide additional calories