





IDEAL FOR:

Overweight horses, ponies, miniature horses, horses with metabolic disease



FEATURES:

Whole grain & molasses free, low starch & sugar, low feeding rate



excessive weight gain.

HELPS SUPPORT:

Metabolic disease, allergies

Triple Crown Lite is a whole grain and molasses free pellet ideal for easy keepers - horses that maintain their weight on very little grain or on grass and hay alone. It is also for miniature horses, horses with metabolic disease and those prone to founder and laminitis, and is designed to provide supplemental minerals and vitamins without encouraging

12% PROTEIN • 3% FAT • 20% FIBER • 1,150 KCAL/LB

Crude Protein (min.)	12.00%
Lysine (min.)	0.80%
Methionine (min.)	0.26%
Threonine (min.)	0.84%
Tryptophan (min.)	0.16%
Leucine (min.)	0.91%
Crude Fat (min.)	3.00%
Crude Fiber (max.)	20.00%
ADF (max.)	25.00%
NDF (max.)	44.00%
Calcium (min.)	1.75%
Calcium (max.)	2.25%
Phosphorus (min.)	1.00%
Magnesium (min.)	0.509
Potassium (min.)	1.009
Sodium (min.)	0.40%
Sodium (max.)	0.75%
Salt (min.)	0.75%
Salt (max.)	1.25%
Omega-3 Fatty Acids (min.)	0.229
Omega-6 Fatty Acids (min.)	1.20%
Selenium (added) (min.)	1.65 ppn
Selenium (max.) (total)	1.98 ppn
Zinc (min.)	550 ppn
Manganese (min.)	275 ppn
Copper (min.)	150 ppn
Iron (min.)	200 ppn
Vitamin A (min.)	11,000 IU/lb
Vitamin D min.)	2,000 IU/lb
Vitamin E (min.)	305 IU/lb
Riboflavin-B2 (min.)	4.60 mg/lb
Thiamin-B1 (min.)	12.00 mg/lb
Ascorbic Acid (min.)	80 mg/lb
Biotin (min.)	0.40 mg/lb
Total Direct Fed Microbials (min.)	4.29 billion CFU/lb
Lactobacillus acidophilus Fermentation Product (min.)	908 million CFU/lb
Enterococcus faecium Fermentation Product (min.)	908 million CFU/lb
Bacillus subtilis Dried Fermentation Product (min.)	664 million CFU/lb
Saccharomyces cerevisiae (min.)	1.81 billion CFU/lb
Cellulase¹ (Trichoderma longibrachiatum) (min.)	3,287 CU/lb
Protease ² (Bacillus licheniformis) (min.)	0.68 HUT/Ib

^{1.} One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulos substrate at pH 4.5 and 40°C.

INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Soybean Hulls, Wheat Middlings, Dehydrated Alfalfa Meal, Maize Distillers Dried Grains with Solubles, Calcium Carbonate, Monocalcium Phosphate, Salt, Magnesium Oxide, Soybean Oil, Calcium Carbonate, Ground Flaxseed, Lignin Sulfonate, Manganese Amino Acid Complex, L-Lysine, Selenium Yeast, Zinc Amino Acid Complex, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Sodium Bicarbonate, Hydrated Sodium Calcium Aluminosilicate, Vitamin E Supplement, Copper Amino Acid Complex, Saccharomyces cerevisiae Yeast Grown On A Media Of Sucrose and Cane Molasses, Processed Grain By-Products, Hydrated Sodium Calcium Aluminosilicate, L-Threonine, DL-Methionine, Copper Sulfate, Dried Kelp, Yeast Extract, Maltodextrins, Dried Bacillus subtilis Fermentation Product, Active Dry Yeast, Ascorbic Acid (Source of Vitamin C), Vitamin B12 Supplement, Niacin Supplement, Ground Fenugreek. Natural & Artificial Flavors, Biotin, Magnesium Proteinate, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Thiamine Mononitrate, L-Leucine, Vitamin A Supplement, Beta-Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Zinc Sulfate, Vitamin D3 Supplement, Choline Chloride, Ethylenediamine Dihydroiodide, Folic Acid, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Dried Trichoderma longibrachiatum Fermentation Product, Dried Bacillus licheniformis Fermentation Extract.

HTIW WON

Zinpro® Performance Minerals®

with higher bioavailability

No added iron

Contains a source of live (viable), naturally occurring microorganisms.

FEEDING DIRECTIONS

MATURE HORSES

900 - 1,100 lb. 2- 4 lb. per day

PONIES AND MINIATURE HORSES

500 - 600 lb. 1 lb. per day

OTHER CONSIDERATIONS

Assuming a horse is consuming a minimum of 1.5 to 2% of its body weight in hay or

Adjust feeding rate to maintain optimum body condition.

NOTE: Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with

CAUTION: Follow feeding guidelines. Feeding added Selenium at levels in excess of 0.30 ppm in the total diet is prohibited. Product contains added Copper; do not feed to sheep.

^{2.} One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275mm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY.