



IDEAL FOR:

Active, older horses, performance horses, metabolic horses



FEATURES:

Whole grain free, whey protein/amino acid balance, gastric buffering, added chromium



HELPS SUPPORT:

Ulcers, heat tolerance, strong top line, healthy inflammatory response, fat absorption, weight gain

NOW WITH

- EnduraCare® for healthy inflammatory response
- More probiotics via CLOSTAT® to support a healthy microbiome
- LYSOFORTE® for improved fat absorption and feed efficiency
- Zinpro® Performance Minerals® with higher bioavailability
- No added iron

Developed for active, older horses, Triple Crown Senior Gold features a beet pulp-based formula with higher fat, an expanded amino acid profile and gastric buffering, which is ideal for performance horses and those under stress.

14.5% PROTEIN • 12.5% FAT • 18% FIBER • 1,800 KCAL/LB

GUARANTEED ANALYSIS	
Crude Protein (min.)	14.50%
Lysine (min.)	0.90%
Methionine (min.)	0.25%
Threonine (min.)	0.70%
Tryptophan (min.)	0.20%
Leucine (min.)	1.00%
Crude Fat (min.)	12.50%
Crude Fiber (max.)	18.00%
ADF (max.)	22.00%
NDF (max.)	37.00%
Calcium (min./max.)	0.90/1.40%
Phosphorus (min.)	0.55%
Magnesium (min.)	0.40%
Potassium (min.)	1.00%
Sodium (min./max.)	0.50/1.00%
Chloride (min.)	0.50%
Salt (min./max.)	0.40/0.90%
Omega-3 Fatty Acids (min.)	1.10%
Omega-6 Fatty Acids (min.)	5.00%
Selenium (added) (min.)	0.30 ppm
Zinc (min.)	275 ppm
Manganese (min.)	150 ppm
Copper (min.)	70 ppm
Iron (min.)	175 ppm
Chromium (max.)	0.70 ppm
Vitamin A (min.)	6,500 IU/lb
Vitamin D min.)	1,000 IU/lb
Vitamin E (min.)	200 IU/lb
Riboflavin-B2 (min.)	3.20 mg/lb
Thiamine-B1 (min.)	8.00 mg/lb.
Ascorbic Acid (min.)	50 mg/lb
Biotin (min.)	0.25 mg/lb
Total Direct Fed Microbials (min.)	3.87 billion CFU/lb
Lactobacillus acidophilus Fermentation Product (min.)	930 million CFU/lb
Enterococcus faecium Fermentation Product (min.)	930 million CFU/lb.
Bacillus subtilis Dried Fermentation Product (min.)	158 million CFU/lb.
Saccharomyces cerevisiae (min.)	1.85 billion CFU/lb.
Cellulase¹ (Trichoderma longibrachiatum) (min.)	3,353 CU/lb.
•	0.69 HUT/lb.
Protease ² (Bacillus licheniformis) (min.)	U.U7 FU I/ID.

1. One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C.

INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Shredded Beet Pulp, Dehydrated Alfalfa Meal, Ground Soybean Hulls (13.3%), Wheat Middlings, Soybean Oil, Soybean Meal, Maize Distillers Dried Grains with Solubles, Cane Molasses, Ground Flaxseed, Heat Stabilized Rice Bran, Monocalcium Phosphate, Sodium Bicarbonate, Calcite, Dried Whey, Salt, Lignosulfonate, L-Lysine, Calcium Carbonate, Magnesium Oxide, Manganese Amino Acid Complex, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Threonine, Zinc Amino Acid Complex, Saccharomyces cerevisiae Yeast Grown On A Media Of Sucrose and Cane Molasses, Processed Grain By-Products, Vitamin E Supplement, DL-Methionine, Selenium Yeast, Copper Amino Acid Complex, L-Tryptophan, Hydrated Sodium Calcium Aluminosilicate Lecithin, Calcium Propionate, Dried Keln Yeast Extract. Active Dry Yeast, Chromium Propionate, Spray Dried Egg Product, Ascorbic Acid (Source of Vitamin C), Vitamin B12 Supplement, L-Leucine, Ground Fenugreek, Natural and Artificial Flavors, Magnesium Proteinate, Niacin Supplement, Copper Sulfate, Biotin, Maltodextrins, Dried Bacillus subtilis Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Thiamine Mononitrate, Vitamin A Supplement, Beta-Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Dried Trichoderma longibrachiatum Fermentation Product, Zinc Sulfate, Folic Acid, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Ethylenediamine Dihydroiodide, Dried Bacillus licheniformis Fermentation Extract.

Contains a source of live (viable), naturally occurring microorganisms.

FEEDING DIRECTIONS

	IF YOUR HORSE CAN EAT HAY	
	500 - 600 lb. pony	4 lb. per day
	1,000 - 1,100 lb. horse	6 lb. per day

IF YOUR HORSE CANNOT EAT HAY	
500 - 600 lb. pony	7 lb. per day
1,000 - 1,100 lb. horse	12 lb. per day

OTHER CONSIDERATIONS

If feeding less than 6 lb. per day (per 1,000 lb. of body weight) in combination with hay, supplement with 1 lb. per day of Triple Crown Balancer or Triple Crown Balancer Gold in order to meet recommended levels of vitamins, minerals and digestive support.

If your horse cannot eat hay, be sure to feed 1 to 2% of body weight daily.

Adjust the amount of Triple Crown Senior Gold up or down as needed after 2 to 4 weeks to maintain desired body condition. Do not feed more than 5 lb. at a single meal (3 lb. for ponies). Allow 3 to 4 hours between meals.

NOTE: Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

CAUTION: Follow feeding guidelines. Chromium supplementation should not exceed 4 mg per day. Feeding added Selenium at levels in excess of 0.30 ppm in the total diet is prohibited. Product contains added Copper; do not feed to sheep.

^{2.} One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 110g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY.