





IDEAL FOR:

Active, older horses, performance horses, metabolic horses



FEATURES:

Whole grain free, whey protein/amino acid balance, gastric buffering



HELPS SUPPORT:

Ulcers, heat tolerance, strong top line, anti-inflammatory response

Developed for active, older horses, Triple Crown Senior Gold features a beet pulp-based formula with higher fat, an expanded amino acid profile and gastric buffering, which is ideal for performance horses and those under stress.

PROTEIN 14.5% • FAT 12.5% • FIBER 18% • 1,800 KCAL/LB

GUARANTEED ANALYSIS	
Crude Protein (min.)	14.50%
Lysine (min.)	0.90%
Methionine (min.)	0.25%
Threonine (min.)	0.70%
Tryptophan (min.)	0.20%
Leucine (min.)	1.00%
Crude Fat (min.)	12.50%
Crude Fiber (max.)	18.00%
ADF (max.)	22.00%
NDF (max.)	37.00%
Calcium (min./max.)	0.90/1.40%
Phosphorus (min.)	0.55%
Magnesium (min.)	0.40%
Potassium (min.)	1.00%
Sodium (min./max.)	0.50/1.00%
Chloride (min.)	0.50%
Salt (min./max.)	0.40/0.90%
Omega-3 Fatty Acids (min.)	1.10%
Omega-6 Fatty Acids (min.)	5.00%
Selenium (min./max.)	0.60/1.00 ppm
Zinc (min.)	260 ppm
Manganese (min.)	140 ppm
Cobalt (min.)	0.45 ppm
Copper (min.)	70 ppm
Iron (min.)	175 ppm
Chromium (max.)	1.47 ppm
Vitamin A (min.)	6,000 IU/lb.
Vitamin D min.)	1,000 IU/Ib.
Vitamin E (min.)	200 IU/lb.
Riboflavin-B2 (min.)	3.20 mg/lb.
Thiamine-B1 (min.)	8.00 mg/lb.
Ascorbic Acid (min.)	50 mg/lb.
Biotin (min.)	0.25 mg/lb.
Total Direct Fed Microbials (min.)	3.63 billion CFU/lb.
Lactobacillus Acidophilus Fermentation Product (min.)	925 million CFU/lb.
Enterococcus Faecium Fermentation Product (min.)	925 million CFU/lb.
Bacillus Subtilis Dried Fermentation Product (min.)	34 million CFU/lb.
Saccharomyces Cerevisiae (min.)	1.77 billion CFU/lb.
Cellulase¹ (Trichoderma Longibrachiatum) (min.)	170 CU/lb.
Protease ² (Bacillus Licheniformis) (min.)	0.63 HUT/lb.
, , ,	

INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Shredded Beet Pulp, Dehydrated Alfalfa Meal, Wheat Middlings, Ground Soybean Hulls, Dehulled Soybean Meal, Soybean Oil, Distillers Dried Grains, Molasses, Ground Flaxseed, Heat Stabilized Rice Bran, Sodium Bicarbonate, Monocalcium Phosphate, Calcium Carbonate, Dried Whey, Calcite, Salt, Lignosulfonate, Magnesium Oxide, L-Lysine, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Saccharomyces Cerevisiae Yeast Extract, Saccharomyces Cerevisiae Active Dry Yeast, Hydrated Sodium Calcium Aluminosilicate, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Trichoderma Longibrachiatum Fermentation Product, Dried Bacillus Licheniformis Fermentation Extract, Saccharomyces Cerevisiae Yeast Culture, Selenium Yeast, Vitamin E Supplement, DL-Methionine, Chromium Propionate, Zinc Sulfate, Dried Kelp, Manganese Sulfate, Zinc Hydroxychloride, Ascorbic Acid, Manganese Hydroxychloride, Vitamin B12 Supplement, Leucine, L-Threonine, Lecithin, Natural & Artificial Flavors, Fenugreek Seed, Magnesium Proteinate, Copper Sulfate, Copper Hydroxychloride, Niacin Supplement, L-Tryptophan, Biotin, Thiamine Mononitrate, Vitamin A Supplement, Beta-Carotene, Dried Bacillus Subtilis Fermentation Product, Cobalt Proteinate, Pyridoxine Hydrochloride, Riboflavin Supplement, Cobalt Sulfate, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Folic Acid, Menadione Sodium Bisulfite Complex, Ethylenediamine Hydroiodide.

FEEDING DIRECTIONS

IF YOUR HORSE CAN EAT HAY

500 - 600 lb. pony	4 lb. per day
1,000 - 1,100 lb. horse	6 lb. per day
IF YOUR HORSE CANNOT EAT HAY	
IF YOUR HORSE CANNOT EAT HAY 500 - 600 lb. pony	7 lb. per day

OTHER CONSIDERATIONS

If feeding less than 6 lb. per day (per 1,000 lb. of body weight) in combination with hay, supplement with 1 lb. per day of Triple Crown Balancer or Triple Crown Balancer Gold in order to meet recommended levels of vitamins, minerals and digestive

If your horse cannot eat hay, be sure to feed 1 to 2% of body weight daily.

Adjust the amount of Triple Crown Senior Gold up or down as needed after 2 to 4 weeks to maintain desired body condition. Do not feed more than 5 lb. at a single meal (3 lb. for ponies). Allow 3 to 4 hours between meals.

Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with

^{1.} One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate

^{2.} One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY.