





IDEAL FOR: Overweight horses, ponies, miniature horses



FEATURES: Whole grain & molasses free, low starch & sugar, low feeding rate



HELPS SUPPORT: Metabolic disease, allergies

Triple Crown Lite is a whole grain and molasses free pellet ideal for easy keepers - horses that maintain their weight on very little grain or on grass and hay alone. It is also for miniature horses, horses with metabolic disease and those prone to founder and laminitis, and is designed to provide supplemental minerals and vitamins without encouraging excessive weight gain.

PROTEIN 12% • FAT 3% • FIBER 20% • 1,150 KCAL/LB

GUARANTEED ANALYSIS	
Crude Protein (min.)	12.00%
Lysine (min.)	0.80%
Methionine (min.)	0.26%
Threonine (min.)	0.84%
Tryptophan (min.)	0.16%
Leucine (min.)	0.91%
Crude Fat (min.)	3.00%
Crude Fiber (max.)	20.00%
ADF (max.)	25.00%
NDF (max.)	44.00%
Calcium (min.)	1.75%
Calcium (max.)	2.25%
Phosphorus (min.)	1.00%
Magnesium (min.)	0.50%
Potassium (min.)	1.00%
Sodium (min.)	0.40%
Sodium (max.)	0.75%
Salt (min.)	0.75%
Salt (max.)	1.25%
Omega-3 Fatty Acids (min.)	0.22%
Omega-6 Fatty Acids (min.)	1.20%
Selenium (min.)	2.30 ppm
Selenium (max.)	2.95 ppm
Zinc (min.)	540 ppm
Manganese (min.)	380 ppm
Cobalt (min.)	2.00 ppm
Copper (min.)	140 ppm
Iron (min.)	200 ppm
Vitamin A (min.)	11,000 IU/Ib.
Vitamin D min.)	2,000 IU/Ib.
Vitamin E (min.)	305 IU/Ib.
Riboflavin-B2 (min.)	4.60 mg/lb.
Thiamin-B1 (min.)	12.00 mg/lb.
Ascorbic Acid (min.)	80 mg/lb.
Biotin (min.)	0.40 mg/lb.
Total Direct Fed Microbials (min.)	3.65 billion CFU/lb.
Lactobacillus Acidophilus Fermentation Product (min.)	908 million CFU/lb.
Enterococcus Faecium Fermentation Product (min.)	908 million CFU/lb.
Bacillus Subtilis Dried Fermentation Product (min.)	25 million CFU/lb.
Saccharomyces Cerevisiae Yeast Culture (min.)	1.80 billion CFU/lb.
Cellulase ¹ (Trichoderma Longibrachiatum Fermentation Extract) (min.)	0.68 million CFU/lb.
Protease ² (Bacillus Subtilis Fermentation Extract) (min.)	1,430 HUT/lb.

INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Soybean Hulls, Wheat Middlings, Dehydrated Alfalfa Meal, Distillers Dried Grains, Ground Flaxseed, Calcium Carbonate, Salt, Sodium Bicarbonate, Dicalcium Phosphate, Yeast Extract, Yeast Culture, Calcium Silicate, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Dried Trichoderma Longibrachiatum Fermentation Extract, Dried Bacillus Subtilis Fermentation Extract, Zinc Hydroxy Chloride, Manganese Hydroxy Chloride, Copper Hydroxy Chloride, Vegetable Oil, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Kelp Meal, Magnesium Oxide, Fenugreek Seed, Lecithin, Anise, Magnesium Proteinate, Selenium Yeast, L-Lysine, DL-methionine, L-Threonine, L-Leucine, Ascorbic Acid (Source of Vitamin C), Niacin Supplement, Biotin, Vitamin A Supplement, Vitamin E Supplement, Thiamine Mononitrate, Beta Carotene, Calcium Pantothenate, Riboflavin Supplement, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Vitamin D3 Supplement, Soybean Oil, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Folic Acid, Hydrated Sodium Calcium Aluminosilicate, Manganese Sulfate, Lignin Sulfonate, Brewers Dried Yeast, Zinc Sulfate, Copper Sulfate, Cobalt Proteinate, Iron Amino Acid Complex Ethylenediamine Dihydroiodide, (Propionic Acid, Sodium Benzoate, Potassium Sorbate (Preservatives)).

FEEDING DIRECTIONS	
MATURE HORSES	
900 – 1,100 lb.	1.5- 2 lb. per day
PONIES AND MINIATURE HORSES	
500 - 600 lb.	1 lb. per day

OTHER CONSIDERATIONS

Assuming a horse is consuming a minimum of 1.5 to 2% of its body weight in hay or pasture.

Adjust feeding rate to maintain optimum body condition.

CAUTION: In order to avoid excessive mineral and vitamin intake, DO NOT feed more than 5 lb. of Triple Crown Lite per day. Chronic intake of excess minerals and/or vitamins can adversely affect the health of your horse.

Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects

1. One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate

at pH 4.5 and 40°C. 2. One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, ithaca, NY.

50 LBS (22.7 KG)