



MONTH

SUPPLY

BALANCER

IDEAL FOR:

Easy keepers, mature horses, horses with metabolic conditions







FEATURES:

Whole grain and soy free, lower protein, antioxidant support



HELPS SUPPORT:

Insulin sensitivity, immune function, oxidative stress

Triple Crown Diamond Balancer is a lower protein, soy free, metabolic friendly supplement with antioxidants that can be used to balance pasture and/or hay and improve nutrition in diets when feeding small amounts or mixing with whole grains.

14% PROTEIN • 3% FAT • 15% FIBER

per 8 oz. serving

per 8 02. Serving				
GUARANTEED ANALYSIS				
Crude Protein (min.)	14.00% / 31.80 g			
Lysine (min.)	1.69% / 3,850 mg			
Methionine (min.)	0.38% / 850 mg			
Threonine (min.)	0.88% / 2,000 mg			
Tryptophan (min.)	0.24% / 550 mg			
Leucine (min.)	0.84% / 1,950 mg			
Crude Fat (min.)	3.00% / 6.80 g			
Crude Fiber (max.)	15.00% / 34.00 g			
ADF (max.)	20.00%			
NDF (max.)	32.00%			
Calcium (min.)	2.50% / 5,680 mg			
Calcium (max.)	3.50% / 7,950 mg			
Phosphorus (min.)	1.50% / 3,400 mg			
Magnesium (min.)	3.50% / 7,950 mg			
Potassium (min.)	1.00% / 2,270 mg			
Sodium (min.)	0.80% / 1.818 mg			
Sodium (max.)	1.20% / 2,727 mg			
Chloride (min.)	0.33% / 750 mg			
Salt (min.)	0.45% / 1,020 mg			
Salt (max.)	0.60% / 1,364 mg			
Selenium (min.)	5.10 ppm / 1.15 mg			
Selenium (max.)	6.10 ppm / 1.40 mg			
Zinc (min.)	2,310 ppm / 525 mg			
Manganese (min.)	1,210 ppm / 275 mg			
Copper (min.)	528 ppm / 120 mg			
Iron (min.)	176 ppm / 40 mg			
Vitamin A (min.)	36,000 IU/8 oz.			
Vitamin D min.)	7,000 IU/8 oz.			
Vitamin E (min.)	1,000 IU/8 oz.			
Riboflavin-B2 (min.)	66 ppm / 15.00 mg			
Thiamine-B1 (min.)	175 ppm / 40.00 mg			
Ascorbic Acid (min.)	6,600 ppm / 1,500 mg			
Biotin (min.)	6.16 ppm / 1.40 mg			
Total Direct Fed Microbials (min.)	18.00 billion CFU/8 oz.			
Lactobacillus acidophilus Fermentation Product (min.)	4.54 billion CFU/8 oz.			
Enterococcus faecium Fermentation Product (min.)	4.54 billion CFU/8 oz.			
Bacillus subtilis Dried Fermentation Product (min.)	170 million CFU/8 oz.			
Saccharomyces Cerevisiae (min.)	8.70 billion CFU/8 oz.			
Cellulase¹ (Trichoderma longibrachiatum) (min.)	850 CU/8 oz.			
Protease ^{2,3} (Bacillus licheniformis) (min.)	3.08 HUT or PC/8 oz.			

^{1.} One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C.

INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Dehydrated Alfalfa Meal, Wheat Middlings, Magnesium Oxide, Monocalcium Phosphate, Ground Flaxseed, Canola Meal, Calcium Carbonate, Sodium Bicarbonate, Lignosulfonate, L-Lysine, Manganese Amino Acid Complex, Ascorbic Acid, Zinc Amino Acid Complex, Saccharomyces cerevisiae Yeast Culture Grown On A Media Of Sucrose and Cane Molasses, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Vitamin E Supplement, Salt, Hydrated Sodium Calcium Aluminosilicate, L-Threonine, Natural & Artificial Flavors, Dried Kelp, DL-Methionine, Saccharomyces cerevisiae Yeast Extract, Saccharomyces cerevisiae Active Dry Yeast, Leucine, Selenium Yeast, Copper Amino Acid Complex, Ascorbic Acid, Vitamin B12 Supplement, Ground Fenugreek, L-Tryptophan, Magnesium Proteinate, Niacin Supplement, Biotin, Copper Sulfate, Maltodextrins, Dried Bacillus subtilis Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Thiamine Mononitrate, Vitamin A Supplement, Beta-Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Dried Trichoderma longibrachiatum Fermentation Product, Folic Acid, Menadione Sodium Bisulfite Complex, Zinc Sulfate, Ethylenediamine Dihydroiodide, Dried Bacillus licheniformis Fermentation Extract.

Contains a source of live (viable), naturally occurring microorganisms.

FEEDING DIRECTIONS

8 - 10 oz.

For easy keeping, mature horses.

1,100 - 1,300

reeding one neaping enclosed scoop provides 4 oz.			
Horse weight (lb.)	Balancing pasture or hay-only diets*	Balancing unfortified grain diets**	Balancing diets when feeding less than the recommended amount of fortified feed*
600 - 900	4 - 6 oz.	4 - 6 oz.	2 - 3 oz.
900 - 1,100	6 - 8 oz.	6 - 8 oz.	3 - 4 oz.

*Assuming a horse is consuming a minimum of 1.50 to 2% of its body weight in hay or

8 - 10 oz.

4 - 5 oz.

Feeding recommendations are based on average daily requirements. Horse's needs may vary based on age, work level, metabolism, weather and other factors

NOTE: Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

CAUTION: Follow feeding guidelines. Feeding added Selenium at levels in excess of 0.30 ppm in the total diet is prohibited. Product contains added Copper; do not feed

> Triple Crown® and EquiMix® are registered trademarks of Triple Crown Nutrition, Inc., 315 Lake Street East, Suite #300, Wayzata, MN 55391

TSC is a trademark of Tractor Supply Co. of Texas, LP. @ 2025, Tractor Supply Co. All Rights Reserved.

^{2.} One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 2 the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY

^{3.} One bacterial protease unit (PC) is defined as the quantity of enzyme that produces the equivalent of 1.5µg/mL of L-tyrosine per minute under assay conditions of pH 7.0 and 37°C.

^{**}These feeding recommendations provide appropriate vitamin/mineral fortification according to body weight when feeding otherwise unfortified sources of calories such as oats, beet pulp or rice bran. For desired body condition, adjust the calorie source (oats, beet pulp, rice bran) up or down to adjust caloric intake