




DIAMOND PERFORM

PELLETED

50 LBS
(22.7 KG)



IDEAL FOR:
Mature horses, performance horses, underweight horses



FEATURES:
Gastric buffering, antioxidant support, soybean meal free



HELPS SUPPORT:
Ulcers, stamina, immune function, oxidative stress

Triple Crown Diamond Perform is a high fat, high fiber pellet with antioxidants, designed to meet the caloric needs of performance horses and others requiring additional calories while promoting gut and immune health.

12.5% PROTEIN • 12% FAT • 15% FIBER • 1,800 KCAL/LB.

GUARANTEED ANALYSIS

Crude Protein (min.)	12.50%
Lysine (min.)	0.80%
Methionine (min.)	0.28%
Threonine (min.)	0.55%
Tryptophan (min.)	0.20%
Leucine (min.)	0.90%
Crude Fat (min.)	12.00%
Crude Fiber (max.)	15.00%
ADF (max.)	19.00%
NDF (max.)	34.00%
Calcium (min./max.)	1.00/1.50%
Phosphorus (min.)	0.60%
Magnesium (min.)	0.45%
Potassium (min.)	1.00%
Sodium (min./max.)	0.50/1.00%
Chloride (min.)	0.45%
Salt (min./max.)	0.60/1.00%
Omega-3 Fatty Acids (min.)	2.00%
Omega-6 Fatty Acids (min.)	3.90%
Selenium (min./max.)	0.50/0.95 ppm
Zinc (min.)	220 ppm
Manganese (min.)	95 ppm
Copper (min.)	50 ppm
Iron (min.)	60 ppm
Vitamin A (min.)	5,900 IU/lb.
Vitamin D (min.)	1,100 IU/lb.
Vitamin E (min.)	210 IU/lb.
Riboflavin-B2 (min.)	2.50 mg/lb.
Thiamine-B1 (min.)	7.00 mg/lb.
Ascorbic Acid (min.)	250 mg/lb.
Biotin (min.)	0.22 mg/lb.
Total Direct Fed Microbials (min.)	3.68 billion CFU/lb.
Lactobacillus acidophilus Fermentation Product (min.)	907 million CFU/lb.
Enterococcus faecium Fermentation Product (min.)	907 million CFU/lb.
Bacillus subtilis Dried Fermentation Product (min.)	66.40 million CFU/lb.
Saccharomyces cerevisiae (min.)	1.80 billion CFU/lb.
Cellulase ¹ (Trichoderma longibrachiatum) (min.)	3,287 CU/lb.
Protease ² (Bacillus licheniformis) (min.)	0.68 HUT

1. One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C.

2. One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 110g per mL of tyrosine in 0.006N hydrochloric acid. Estimated values determined by Equi-Analytical, Ithaca, NY.

found exclusively at



INGREDIENTS

Wheat Middlings, Dehydrated Alfalfa Meal, Flaxseed, Soybean Oil, Dried Plain Beet Pulp, Molasses, Heat Stabilized Rice Bran, Lignin Sulfonate, Maize Distillers Dried Grains, Ground Oats, Calcite, Salt, Monocalcium Phosphate, Sodium Bicarbonate, Magnesium Oxide, Calcium Carbonate, L-Lysine, L-Tryptophan, N-Butyric Acid, Zinc Oxide, Peppermint Oil, L-Threonine, DL-Methionine, Ascorbic Acid, Selenium Yeast, Vitamin E Supplement, Manganese Amino Acid Complex, Yeast Culture, Zinc Amino Acid Complex, Hydrated Sodium Calcium Aluminosilicate, Dried Kelp, Copper Amino Acid Complex, Saccharomyces cerevisiae Yeast Extract, Saccharomyces cerevisiae Active Dry Yeast, Vitamin B12 Supplement, Fenugreek, Natural and Artificial Flavors, Magnesium Proteinates, Niacin Supplement, Biotin, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Copper Sulfate, Leucine, Dried Bacillus subtilis Fermentation Product, Thiamine Mononitrate, Vitamin A Supplement, β -Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Dried Trichoderma longibrachiatum Fermentation Product, Folic Acid, Menadione Sodium Bisulfite Complex, Zinc Sulfate, Ethylenediamine Dihydroiodide, Dried Bacillus licheniformis Fermentation Extract.

Contains a source of live (viable), naturally occurring microorganisms.

FEEDING DIRECTIONS

Feeding recommendations assume a horse is consuming a minimum of 1.50 to 2% of its body weight in hay or pasture and are based on average daily requirements. Horses' needs may vary based on age, work level, metabolism, weather and other factors. Adjust the amount of Triple Crown Diamond Perform up or down as needed to maintain desired body condition. If less than the amount recommended is fed per day, supplement with Triple Crown Diamond Balance or Balancer.

Do not feed more than 0.50% of the horse's body weight of Triple Crown Diamond Perform in a single meal. Allow 3 to 4 hours between meals.

NOTE: Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

CAUTION STATEMENT:

Follow label directions. Feeding added Selenium at levels in excess of 0.30 ppm in the total diet is prohibited. Feeding added Selenium at levels in excess of 0.30 ppm in the total diet is prohibited. Triple Crown Diamond Perform does not exceed an intake of 3 mg of added Selenium per head per day when fed as directed. Product contains added Copper; do not feed to sheep.

600 LB. HORSE	
Feeding Rate/Day	Feeding Notes
3-4 lb.	Feed a minimum of 9-12 lb. of forage per day
900 LB. HORSE	
4-9 lb.	Feed a minimum of 13.5-18 lb. of forage per day
1,100 LB. HORSE	
5-11 lb.	Feed a minimum of 16.5-22 lb. of forage per day
1,300 LB. HORSE	
6-13 lb.	Feed a minimum of 19.5-26 lb. of forage per day