




DIAMOND SMART PELLET

FORTIFIED FORAGE PELLET

40 LBS
(18.14 KG)



IDEAL FOR:
Mature horses, performance horses



FEATURES:
Balanced vitamin & mineral fortification,
pre & probiotics



HELPS SUPPORT:
Hay shortages, poor hay quality, dental issues when soaked

Triple Crown Diamond Smart Pellet is a fortified Teff hay pellet designed to provide a complete diet for mature and performance horses.

10% PROTEIN • 1.5% FAT • 28% FIBER

found exclusively at



powered by



GUARANTEED ANALYSIS

Crude Protein (min.)	10.00%
Lysine (min.)	0.30%
Methionine (min.)	0.10%
Threonine (min.)	0.25%
Tryptophan (min.)	0.07%
Leucine (min.)	0.35%
Crude Fat (min.)	1.50%
Crude Fiber (max.)	28.00%
ADF (max.)	36.00%
NDF (max.)	56.00%
Calcium (min.)	0.50%
Calcium (max.)	1.20%
Phosphorus (min.)	0.25%
Magnesium (min.)	0.35%
Potassium (min.)	1.50%
Selenium (added) (min.)	0.30 ppm
Zinc (min.)	120 ppm
Manganese (min.)	120 ppm
Copper (min.)	35 ppm
Iron (min.)	140 ppm
Vitamin A (min.)	3,500 IU/lb.
Vitamin D (min.)	700 IU/lb.
Vitamin E (min.)	100 IU/lb.
Ascorbic Acid (min.)	30 mg/lb.
Biotin (min.)	0.15 mg/lb.
Total Direct Fed Microbials (min.)	1.90 billion CFU/lb.
Lactobacillus acidophilus Fermentation Product (min.)	460 million CFU/lb.
Enterococcus faecium Fermentation Product (min.)	460 million CFU/lb.
Bacillus subtilis Dried Fermentation Product (min.)	65 million CFU/lb.
Saccharomyces cerevisiae (min.)	950 million CFU/lb.
Cellulase ¹ (Trichoderma longibrachiatum) (min.)	0.34 million CFU/lb.
Protease ² (Bacillus licheniformis) (min.)	715 HUT/lb.

¹One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C

²One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid.

INGREDIENTS

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001) Teff Hay, Dicalcium Phosphate, L-Threonine, Magnesium Oxide, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, DL-Methionine, Manganese Amino Acid Complex, Zinc Amino Acid Complex, Vitamin E Supplement, Saccharomyces cerevisiae Yeast Grown On A Media Of Sucrose and Cane Molasses, Processed Grain By-Products, Calcium Carbonate, L-Lysine, Copper Amino Acid Complex, Hydrated Sodium Calcium Aluminosilicate, Dried Kelp, Yeast Extract, Active Dry Yeast, Selenium Yeast, Ascorbic Acid, Vitamin B12 Supplement, Ground Fenugreek, Natural & Artificial Flavors, Niacin Supplement, Magnesium Proteinate, Biotin, Copper Sulfate, Maltodextrins, Dried Bacillus subtilis Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, L-Leucine, Thiamine Mononitrate, Vitamin A Supplement, Beta-Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Dried Trichoderma longibrachiatum Fermentation Product, Folic Acid, Menadione Sodium Bisulfite Complex, Zinc Sulfate, Ethylenediamine Dihydroiodide, Dried Bacillus licheniformis Fermentation Extract.

Contains a source of live (viable), naturally occurring microorganisms.

FEEDING DIRECTIONS

TO SUPPLEMENT HAY/PASTURE

1,000 lb. horse 4 – 6 lb. per day

TO REPLACE FEED/GRAIN

1,000 lb. horse 10 lb. per day

TO USE AS A COMPLETE DIET

1,000 lb. horse 15 – 20 lb. per day

OTHER CONSIDERATIONS

Product can be mixed with water to aid in hydration. Product may be mixed with the grain portion of the diet to slow rate of intake.

When feeding as a replacement to feed/grain, should be fed in combination with a minimum of 0.50% of body weight in additional hay/pasture so that your horse is getting a minimum of 1.50% body weight in forage.

Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

CAUTION: Follow feeding guidelines. Feeding added Selenium at levels in excess of 0.30 ppm in the total diet is prohibited. Contains added Copper; do not feed to sheep.

AGRICULTURE STATEMENT: Forage is a natural agricultural product. Despite the use of modern processing equipment, it is not always possible to remove foreign materials.