




DIAMOND SMART CUBE

FORTIFIED FORAGE CUBE

40 LBS
(18.14 KG)



IDEAL FOR:
Mature horses, performance horses, horses with metabolic disease



FEATURES:
Balanced vitamin & mineral fortification, low starch & sugar, pre & probiotics, digestive enzymes, diverse forage mix for hindgut health



HELPS SUPPORT:
Hay shortages, poor hay quality, dental issues when soaked

Triple Crown Smart Cube is a fortified blend of orchard and Timothy hays with added beet pulp that provides a complete diet for mature and performance horses.

10% PROTEIN • 1.5% FAT • 35% FIBER
45% ORCHARD GRASS HAY, 45% TIMOTHY HAY, 10% BEET PULP

found exclusively at



powered by



GUARANTEED ANALYSIS

Crude Protein (min.)	10.00%
Lysine (min.)	0.35%
Methionine (min.)	0.10%
Threonine (min.)	0.30%
Tryptophan (min.)	0.07%
Leucine (min.)	0.38%
Crude Fat (min.)	1.50%
Crude Fiber (max.)	35.00%
ADF (max.)	38.00%
NDF (max.)	58.00%
Calcium (min.)	0.60%
Calcium (max.)	1.30%
Phosphorus (min.)	0.35%
Magnesium (min.)	0.40%
Potassium (min.)	1.50%
Selenium (min.)	0.30 ppm
Zinc (min.)	120 ppm
Manganese (min.)	120 ppm
Copper (min.)	35 ppm
Iron (min.)	140 ppm
Vitamin A (min.)	3,500 IU/lb.
Vitamin D (min.)	700 IU/lb.
Vitamin E (min.)	100 IU/lb.
Ascorbic Acid (min.)	30 mg/lb.
Biotin (min.)	0.15 mg/lb.
Total Direct Fed Microbials (min.)	1.89 billion CFU/lb.
Lactobacillus acidophilus Fermentation Product (min.)	460 million CFU/lb.
Enterococcus faecium Fermentation Product (min.)	460 million CFU/lb.
Bacillus subtilis Dried Fermentation Product (min.)	66 million CFU/lb.
Saccharomyces cerevisiae (min.)	908 million CFU/lb.
Cellulase ¹ (Trichoderma longibrachiatum) (min.)	1,650 CU/lb.
Protease ² (Bacillus licheniformis) (min.)	0.34 HUT/lb.

¹One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C

²One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid.

INGREDIENTS

Orchard Grass Hay, Timothy Grass Hay, Plain Dried Beet Pulp Shreds, Wheat Middlings, Bentonite, Dehulled Soybean Meal, Calcium Carbonate, Soybean Hulls, Magnesium Oxide, Monocalcium Phosphate, Soybean Oil, N-Butyric Acid, Zinc Oxide, Peppermint Oil, Sodium Bicarbonate, Salt, Manganese Amino Acid Complex, Lignin Sulfonate, Zinc Amino Acid Complex, Yeast Culture, Monosodium Phosphate, Hydrolyzed Yeast, Maize Distillers Dried Solubles, Dried Seaweed Meal, Vitamin E Supplement, L-Lysine, Copper Amino Acid Complex, Hydrated Sodium Calcium Aluminosilicate, DL-Methionine, Dried Kelp, Yeast Extract, Selenium Yeast, Active Dry Yeast, Ascorbic Acid, Vitamin B12 Supplement, Fenugreek, Natural and Artificial Flavors, Magnesium Proteinate, Niacin Supplement, Biotin, Copper Sulfate, Dried Bacillus subtilis Fermentation Product, Dried Enterococcus faecium Fermentation Product, Dried Lactobacillus acidophilus Fermentation Product, Leucine, Thiamine Mononitrate, Vitamin A Supplement, β-Carotene, Pyridoxine Hydrochloride, Riboflavin Supplement, D-Calcium Pantothenate, Vitamin D3 Supplement, Choline Chloride, Dried Trichoderma longibrachiatum Fermentation Product, Folic Acid, Menadione Sodium Bisulfite Complex, Zinc Sulfate, Ethylenediamine Dihydroiodide, Dried Bacillus licheniformis Fermentation Extract.

Contains a source of live (viable), naturally occurring microorganisms.

FEEDING DIRECTIONS

TO SUPPLEMENT HAY/PASTURE

1,000 lb. horse 4 – 6 lb. per day

TO REPLACE FEED/GRAIN

1,000 lb. horse 10 lb. per day

TO USE AS A COMPLETE DIET

1,000 lb. horse 15 – 20 lb. per day

OTHER CONSIDERATIONS

Product can be mixed with water to aid in hydration. Product may be mixed with the grain portion of the diet to slow rate of intake.

When feeding as a replacement to feed/grain, should be fed in combination with a minimum of 0.50% of body weight in additional hay/pasture so that your horse is getting a minimum of 1.50% body weight in forage.

Provide salt and plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

CAUTION: Follow label directions. Product contains Copper; do not feed to sheep.

AGRICULTURE STATEMENT: Forage is a natural agricultural product. Despite the use of modern processing equipment, it is not always possible to remove foreign materials.